






Area	PA	NORTH AMERICA	LATIN AMERICA	EUROPE	IN without stand	IN with stand
Model Name	K-43XR31HM2	K-43XR30M2	K-43XR30M2	K-43XR32M2	-	-
SV No.	SV-44323	SV-44284	SV-44309	SV-44076	-	-
DIMENSION	TV only (W x H x D)	-	-	-	-	-
	TV only (W x H x D (D-Max))	Approx. 958 x 564 x 69 mm	958 x 564 x 69 mm / 37 3/4 x 22 3/16 x 2 11/16 inch	958 x 564 x 69 mm	Approx. 95.8 x 56.4 x 6.9 cm	-
	TV only with camera (W x H x D)	-	-	-	-	-
	TV with Stand (Standard position) (W x H x D)	-	-	-	-	-
	TV with Stand (Sound bar position) (W x H x D)	-	-	-	-	-
	TV with Stand (Outside) (W x H x D)	Approx. 958 x 627 x 246 mm	958 x 627 x 246 mm / 37 3/4 x 24 11/16 x 9 11/16 inch	958 x 627 x 246 mm	Approx. 95.8 x 62.7 x 24.6 cm	-
	TV with Stand (Inside) (W x H x D)	-	-	-	-	-
	TV with Stand (Outside for Soundbar) (W x H x D)	-	-	-	-	-
	TV with Stand (Inside for Soundbar) (W x H x D)	-	-	-	-	-
	TV with Stand (Narrow position) (W x H x D)	-	-	-	-	-
	Stand Width (Standard position)	-	-	-	-	-
	Stand Width (Sound bar position)	-	-	-	-	-
	Stand Width (Outside)	Approx. 809 mm	809 mm / 31 7/8 inch	809 mm	Approx. 80.9 cm	-
	Stand Width (Inside)	-	-	-	-	-
	Stand Width (Narrow position)	-	-	-	-	-
	Stand Inner Distance	-	-	-	-	-
	Stand Inner Distance (Inside position)	-	-	-	-	-
	Stand Inner Distance (Outside position)	Approx. 792 mm	792 mm / 31 3/16 inch	792 mm	Approx. 79.2 cm	-
	Dimension of Stand (W x H x D)	Approx. 9 x 64 x 246 mm	9 x 64 x 246 mm / 3/8 x 2 1/2 x 9 11/16 inch	9 x 64 x 246 mm	Approx. 0.9 x 6.4 x 24.6 cm	-
	Dimension of Stand (Low) (W x H x D)	-	-	-	-	-
	Dimension of Stand (High) (W x H x D)	-	-	-	-	-
	VESA Hole Pitch	200 x 200 mm	200 x 200 mm / 7 7/8 x 7 7/8 inch	200 x 200 mm	20 x 20 cm	-
WEIGHT	TV Only	Approx. 9.1 kg	9.1 kg / 20.2 lb	9.1 kg	Approx. 9.1 kg	-
	TV with Stand	Approx. 9.5 kg	9.5 kg / 20.9 lb	9.5 kg	Approx. 9.5 kg	-
Remarks						

ITEM	ECN NO.	POSITION	REVISION LIST		DATE	UPDATED BY	APPROVED BY
			DESCRIPTION WAS	IS			

TV with Stand (Outside)





TOLERANCE UNLESS OTHERWISE SPECIFIED (mm)				UNIT	TOURBARBERS DIMENSIONS UNLESS OTHERWISE STATED		MODEL: One Piece 43		PROE 3D: 00_SNY_43_ALL	PROE 2D: 00_SNY_43_ALL
RANGE OF DIM.	METAL & PLASTIC	POLYFOAM	CARTON	mm	DIMENSIONS	ANGLE	TOLERANCE	SCALE	DATE	DATE
0-30	±0.10			0.300	3rd PROJ.	±0.20	+2.0/-0	1:1	19-Aug-25	TPV Technology Ltd.
30-60	±0.15									
60-120	±0.20									
120-300	±0.25									
300-600	±0.30									
600-1200	±0.40									
1200-UPON	±0.50									
ANGLE (SHEET METAL)				±0.5						
Internal Diameter of Plastic Screw Boss				±0.05						



REVISION LIST		DATE	UPDATED BY	APPROVED BY
ITEM	ECN NO.	POSITION	DESCRIPTION WAS	IS

TV with Stand (Outside)








TOLERANCE UNLESS OTHERWISE SPECIFIED (mm)				UNIT	MODEL: One Piece 43		PROJ 3D: 00_SNY_43_ALL	PROJ 2D: 00_SNY_43_ALL
RANGE OF DIM.	METAL & PLASTIC	POLYFOAM	CARTON	mm	TOLERANCES UNLESS OTHERWISE STATED	DIMENSIONS	ANGLE	TREATMENT
0-30	±0.10							
30-60	±0.15							
60-120	±0.20							
120-300	±0.25							
300-600	±0.30							
600-1200	±0.40	+0/-3.0						
1200-UPON	±0.50	+0/-4.0						
ANGLE (SHEET METAL)				±0.5				
Internal Diameter of Plastic Screw Boss				±0.05				

SCALE	3rd PROJ.	DATE	19-Aug-25	TPV Technology Ltd.	110-4-2-AD
CHECK		DATE			TPV TV

TV Only

REVISION LIST				16	17	18
ITEM	ECN NO.	POSITION	DESCRIPTION	DATE	UPDATED BY	APPROVED BY
WAS	IS					



M6M6 HOLES FOR SECURING HARDWARE (BELT, ROPE OR CHAIN)

M6 HOLES FOR WALL MOUNT BRACKET
*REFER TO INSTRUCTION MANUAL FOR SCREW LENGTH INFORMATION

TOLERANCE UNLESS OTHERWISE SPECIFIED (mm)				MODEL:	PROJ 3D: 00_SNY_43_ALL	PROJ 2D: 43
RANGE OF DIM.	METAL & PLASTIC	POLYFOAM	CARTON	UNIT	TOLERANCE UNLESS OTHERWISE STATED	DIMENSIONS ANGLE
0-30	±0.10			mm		
30-60	±0.15					
60-120	±0.20					
120-300	±0.25					
300-600	±0.30					
600-1200	±0.40					
1200-UPON	±0.50					
ANGLE (SHEET METAL)				±0.5		
Internal Diameter of Plastic Screw Boss				±0.05		

SCALE	3rd PROJ.	DATE	19-Aug-25	TPV Technology Ltd.	1101-4-3 AD
0.300		DATE			TPV TV
		CHECK			3D_PPT_00_V0001A




REVISION LIST		DATE	UPDATED BY	APPROVED BY
ITEM	ECN NO.	POSITION	DESCRIPTION WAS	IS

SU-WL 450

STANDARD

SLIM



TOLERANCE UNLESS OTHERWISE SPECIFIED (mm)			
RANGE OF DIM.	METAL & PLASTIC	POLYFOAM	CARTON
0-30	±0.10		
30-60	±0.15		
60-120	±0.20	+0/-2.0	
120-300	±0.25		
300-600	±0.30		
600-1200	±0.40	+0/-3.0	
1200-UPON	±0.50	+0/-4.0	

MODEL:	PROE 3D: 00_SNY_43_ALL	PROE 2D: 43
UNIT:	mm	
SCALE:	0.300	
DATE:	14-Oct-25	
TPV Technology Ltd.		