











Area		PA		NORTH AMERICA		LATIN AMERICA		EUROPE		IN without stand	IN with stand
Model Name		K-50KR31M2		K-50KR30M2		K-50KR30M2		K-50KR30M2		-	-
SV No.		SV-44322		SV-44283		SV-44308		SV-44075		-	-
DIMENSION		TV only (W x H x D)	-	-	-	-	-	-	-	-	-
		TV only (W x H x D (B-Max))	Approx. 1111 x 691 x 69 mm	1111 x 691 x 69 mm / 43 3/4 x 25 5/8 x 2 11/16 inch		1111 x 691 x 69 mm	Approx. 1111 x 651 x 6.9 cm	-	-	-	-
		TV only with camera (W x H x D)	-	-	-	-	-	-	-	-	-
		TV with Stand (Standard position) (W x H x D)	-	-	-	-	-	-	-	-	-
		TV with Stand (Sound bar position) (W x H x D)	-	-	-	-	-	-	-	-	-
		TV with Stand (Outside) (W x H x D)	Approx. 1111 x 714 x 246 mm	1111 x 714 x 246 mm / 43 3/4 x 28 1/8 x 9 11/16 inch		1111 x 714 x 246 mm	Approx. 1111 x 714 x 24.6 cm	-	-	-	-
		TV with Stand (Inside) (W x H x D)	-	-	-	-	-	-	-	-	-
		TV with Stand (Outside for Soundbar) (W x H x D)	-	-	-	-	-	-	-	-	-
		TV with Stand (Inside for Soundbar) (W x H x D)	-	-	-	-	-	-	-	-	-
		TV with Stand (Narrow position) (W x H x D)	-	-	-	-	-	-	-	-	-
		Stand Width (Standard position)	-	-	-	-	-	-	-	-	-
		Stand Width (Sound bar position)	-	-	-	-	-	-	-	-	-
		Stand Width (Outside)	Approx. 921 mm	921 mm / 36 1/4 inch		921 mm	Approx. 921 cm	-	-	-	-
		Stand Width (Inside)	-	-	-	-	-	-	-	-	-
		Stand Width (Narrow position)	-	-	-	-	-	-	-	-	-
		Stand Inner Distance	-	-	-	-	-	-	-	-	-
		Stand Inner Distance (Inside position)	-	-	-	-	-	-	-	-	-
		Stand Inner Distance (Outside position)	Approx. 905 mm	905 mm / 35 5/8 inch		905 mm	Approx. 90.5 cm	-	-	-	-
		Dimension of Stand (W x H x D)	Approx. 9 x 64 x 246 mm	9 x 64 x 246 mm / 3/8 x 2 1/2 x 9 11/16 inch		9 x 64 x 246 mm	Approx. 0.9 x 6.4 x 24.6 cm	-	-	-	-
		Dimension of Stand (Low) (W x H x D)	-	-	-	-	-	-	-	-	-
		Dimension of Stand (High) (W x H x D)	-	-	-	-	-	-	-	-	-
		VESA Hole Pitch	300 x 300 mm	300 x 300 mm / 11 13/16 x 11 13/16 inch		300 x 300 mm	300 x 30.0 cm	-	-	-	-
WEIGHT		TV Only	Approx. 111 kg	111 kg / 246 lb		111 kg	Approx. 111 kg	-	-	-	-
		TV with Stand	Approx. 11.4 kg	11.4 kg / 25.3 lb		11.4 kg	Approx. 11.4 kg	-	-	-	-
Remarks											

TV with Stand (Outside)



TOLERANCE UNLESS OTHERWISE SPECIFIED (mm)				UNIT		TOLERANCES UNLESS OTHERWISE STATED		MODEL: TBD		PRICE: 3D OR 2D ONLY, 50 ALL		PRICE: 2D OR 3D ONLY, 50 ALL	
RANGE OF DIM				METAL & PLASTIC		POLYFIBER		CARBON		UNIT		TBD	
30-60				±0.05						SCALE		TBD	
60-120				±0.05						0.250		TBD	
120-300				±0.05						3rd PROJ		TBD	
300-600				±0.10						TOLERANCE UNLESS OTHERWISE STATED		TBD	
600-1200				±0.10						DRAWN		TBD	
1200-UPON				±0.50		+0/-0.40				DATE		19-Aug-25	
ANGLE (SHEET METAL)				±0.5						CHECK		DATE	
Internal Diameter of Plastic Screw Boss				±0.05									




TV with Stand (Outside)





TOLERANCE UNLESS OTHERWISE SPECIFIED (mm)				UNIT		TOLERANCES UNLESS OTHERWISE STATED		PREC 3D OR 2D SMALL		PREC 2D OR 3D SMALL	
RANGE OF DIM	METAL & PLASTIC	POLYMER	CARTON	SCALE	3rd PROJ.	DIMENSIONS	ANGLE	MATERIAL	TBD	TBD	TBD
0-30	±0.15	+0/-2.0	+2.0/-0	0.250		TBD	TBD	TBD	TBD	TBD	TBD
30-60	±0.15										
60-150	±0.20										
150-300	±0.25										
300-600	±0.30	+0/-3.0	+0/-4.0	TBD	TBD	TBD	TBD	TBD	TBD	TBD	
600-1500	±0.40										
1500-UPON	±0.50										
ANGLE (SHEET METALS)				DRAWN		TBD		DATE		19-Aug-25	
Internal Diameter of Plastic Screw Boss				CHECK		DATE		DATE		19-Aug-25	

		16		17		18	
		REVISION LIST					
ITEM	ECON NO.	POSITION	DESCRIPTION		DATE	UPDATED BY	APPROVED BY
			WAS	IS			


TV Only



M6 HOLES FOR WALL MOUNT BRACKET.
*REFER TO INSTRUCTION MANUAL FOR SCREW LENGTH INFORMATION.



TOLERANCE UNLESS OTHERWISE SPECIFIED (in)		
RANGE OF DIM.	METAL & PLASTIC	POLYFOM
0-30	±0.10	+0/-2.0
30-60	±0.15	
60-120	±0.20	
120-300	±0.25	
300-600	±0.30	
600-1200	±0.40	+0/-3.0
1200-UPON	±0.50	+0/-4.0
ANGLE (SHEET METAL)		±0.5°
Internal Diameter of Plastic Screw Boss		

MILE: TSD		TBD		FREE 30 (0.50) 54.41		FREE 20 30	
UNIT	TOLERANCES UNLESS OTHERWISE STATED	TBD					
IN	DIMENSIONS ANGLE	TBD					
ON		TBD					
SCALE	3/8" PER 1"	TBD					
0.250		TBD					
-0		TBD					
TBD							
TBD							
TBD							
BROWN	TBD	DATE	21-AUG-25			1	5-3
CHECK		DATE				TP	T V



